

# **DRUM SANDER / POLISHER 100**



- Applicable for rough grinding up to mirror polishing
- High efficiency motor with full-wave feedback
- Electronic speed control •
- Inflatable rubber sanding drum conforms to the surface (pump included)
- Can fit:
- Sanding sleeves in various grits

Delivery in hard carry case with accessories

- Fine sanding sponge sleeves
- Surface conditioning (fleece) sleeves
- Tool-free arbor

#### Technical specifications

Power input	1.200 W
Voltage	230 V / 50 Hz
No load speed	1000 - 2.400 min <sup>-1</sup>
Max. wheel diameter	100 mm
Max. wheel width	100 mm
Arbor	Ø 19 mm x 100 mm mit Spindelarretierung
Net weight	4,8 kg
Description	Reference



Old metal surfaces look shiny and new



Starter Pack Ref. 495080



Surface conditioning flap wheel



Drive pully for belts



Surface conditioning belts



Sandpaper belt



Air pump





Hook & loop belt closing strap



Surface conditioning belts



**ACCESSORIES FOR DRUM SANDER / POLISHER 100** 

JEPSON POWER®

Leading Through Innovation



## SURFACE CONDITIONING SLEEVES FOR SATIN FINISH MACHINES

scale or marks left by previous operations. iron, titanium, plastic, wood.

Description	Packaging	Reference
SB 100 x 314 - coarse	5 pcs	495DP100
SB 100 x 314 - medium	5 pcs	495DP101
SB 100 x 314 - very fine	5 pcs	495DP102

#### HIGH PERFORMANCE ZIRCON SLEEVES FOR SATIN FINISHING MACHINES

Main features and benefits: Thanks to their wide abrasive area, they allow operators to rapidely and efficiently work on a wide range of surfaces. Recommended applications: light deburring, cleaning, finishing small and larges surfaces. Remowing scale or marks left by previous operations. Work surfaces: stanless steel, standard or alloyed steel, nonferrous metals and alloys, aluminium, cast iron, titanium, plastic, wood.

Description	Packaging	Reference
SB 100 x 314 - P080	10 pcs	495DP103
SB 100 x 314 - P100	10 pcs	495DP104
SB 100 x 314 - P120	10 pcs	495DP105

### NONWOVEN WHEELS FOR SATIN FINISH MACHINES

Main features and benefits: These nonwoven wheels with a hole offer consistent finishing quality, highly efficient ventilation, flexibility, excellent user friendliness, low-noise levels and resistanceto clogging. They can be cleaned using compressed air or water. The abrasive tool is efficiently driven by means of a unique 4-split-pin system and can be quickly fit. Recommended applications: Light deburring and cleaning. Satin finishing small and large surfaces. Removing scale. Removing marks left by previous operations and refinishing after bending, welding or satin coil mounding. Work surfaces: Stainless steel, standard or alloyed steel, nonferrous metals and alloys, aluminium, cast iron, titanium, plastic.

Description	Packaging	Reference
SB 100 - coarse	4 pcs	495DP106
SB 100 - medium	4 pcs	495DP107
SB 100 - very fine	4 pcs	495DP108

### **INTERLEAF WHEELS FOR SATIN FINISH MACHINES**

low-noise levels typical of nonwoven products. Thanks to a unique alloys, aluminium, cast iron, titanium

Description	Packaging	Reference
SB 100 - coarse	4 pcs	495DP109
SB 100 - medium	4 pcs	495DP110
SB 100 - very fine	4 pcs	495DP111

+49 2403 64 55 0

info@jepson.de

www.drycutter.com

JEPSON POWER®

+49 2403 64 55 0

info@jepson.de

Sandpaper sleeves grit 80,100, 180 one piece each





Inflateable rubber sanding drum



495080







Recommended applications: Satin finishining and cleaning, finishing small and large surfaces. Removing

Work surfaces: stainless steel, standard or alloyed steel, non ferrous metals and alloys, aluminium, cast

Main features and benefits: These wheels offer better cutting performances than nonwoven wheels whilst ensuring high finishing quality and excellent user friendliness combined with highly efficient ventilation and

4-split-spin, the abrasive tool can be efficiently driven and quicky fit. Recommended applications: Light deburring and cleaning. Satin finishing small and large surfaces. Removing scale. Removing marks left by previous operations. Work surfaces: Stainless steel, standard or alloyed steel, nonferrous metals and

